



# INDUSTRIAL FLOODLIGHT RANGE 2007



## INDUSTRIAL LIGHTING

**70W SON Metal Halide & 80W Mercury Fittings**  
**Polycarbonate - IP65 240v 50Hz "CE" Approved - Pic 1.**

		IP Rating	Body	Front Cover Diffuser	Control Gear Type	Dimensions LxHxD (mm)	Lamp Price	Lamp	Fitting Each
<b>FLSON70E</b>	70W SON Fitting without Ignitor	65	Black Polycarbonate UV Stabilised	Toughened Glass Clear	EDA European	270x250x190	3.00	LSON70E/I	
<b>FLSON70EPC</b>	70W SON Fitting without Ignitor with Photocell	65	Black Polycarbonate UV Stabilised	Toughened Glass Clear	EDA European	270x250x190	3.00	LSON70E/I	
<b>FLMH70</b>	70W Metal Halide Fitting - HQI (Ts) Double Ended c/w Ignitor	65	Black Polycarbonate UV Stabilised	Toughened Glass Clear	EDA European	270x250x190	3.95	LMBI70DE	
<b>FLMBF80</b>	80W MBFU - ES Fitting	65	Black Polycarbonate UV Stabilised	Toughened Glass Clear	EDA European	270x250x190	1.75	LMBFU80ES	



**70W SON Metal Halide & 80W Mercury**  
**Polycarbonate - IP65 240v 50Hz (UK) Style - Pic 2.**

		IP Rating	Body	Front Cover Diffuser	Control Gear Type	Dimensions LxHxD (mm)	Lamp Price	Lamp	Fitting Each
<b>SFLSON70</b>	70W SON Fitting without Ignitor	65	Black Polycarbonate	Polycarbonate Diffuser	ETL Spain	323x265x246	3.00	LSON70E/I	
<b>SFLSON70PC</b>	70W SON Fitting without Ignitor with Photocell	65	Black Polycarbonate	Polycarbonate Diffuser	ETL Spain	323x265x246	3.00	LSON70E/I	
<b>SFLMH70</b>	70W Metal Halide Fitting - HQI (Ts) Double Ended c/w Ignitor	65	Black Polycarbonate	Polycarbonate Diffuser	ETL Spain	323x265x246	3.95	LMBI70DE	
<b>SFLMBF80</b>	80W MBFU - ES Fitting	65	Black Polycarbonate	Polycarbonate Diffuser	ETL Spain	323x265x246	1.75	LMBFU80ES	




**Slim Metal Halide (HQI-Ts) 70-150W**  
**Aluminium Diecast - IP65 240v 50Hz - Pic 3.**

		IP Rating	Body	Front Cover Diffuser	Control Gear Type	Dimensions LxHxD (mm)	Lamp Price	Lamp	Fitting Each
<b>SLIMMH70</b>	70W Metal Halide Fitting - HQI (Ts) c/w Ignitor	65	Black Epoxy Paint Aluminium	Toughened Glass Clear	ETL Spain	440x275x165	3.95	LMBI70DE	
<b>SLIMMH150</b>	150W Metal Halide Fitting - HQI (Ts) c/w Ignitor	65	Black Epoxy Paint Aluminium	Toughened Glass Clear	ETL Spain	440x275x165	3.95	LMBI150DE	

\*Fittings do not include lamp.

44-48 Freshwater Road, Dagenham, Essex RM8 1RX (England)  
**Telephone. 020 8503 8500 Facsimile. 020 8503 8900**  
[www.ced-elec.co.uk](http://www.ced-elec.co.uk) - [info@ced-elec.co.uk](mailto:info@ced-elec.co.uk)





4.

<b>High Pressure Sodium (SON) 150-400W Diecast Aluminium Floodlights c/w Ignitor - IP65 240v 50Hz - Pic 4.</b>		<b>IP Rating</b>	<b>Body</b>	<b>Front Cover Diffuser</b>	<b>Control Gear Type</b>	<b>Dimensions LxWxD (mm)</b>	<b>Lamp Price</b>	<b>Lamp</b>	<b>Fitting Each</b>
<b>SFLSON150</b>	150W SON Floodlight Fitting c/w Ignitor	65	Black Epoxy Paint/ Diecast Aluminium	Toughened Glass Clear	ETL Spain	510x410x145	3.90	LSON150T	
<b>SFLSON250</b>	250W SON Floodlight Fitting c/w Ignitor	65	Black Epoxy Paint / Diecast Aluminium	Toughened Glass Clear	ETL Spain	510x410x145	4.25	LSON250T	
<b>SFLSON400</b>	400W SON Floodlight Fitting c/w Ignitor	65	Black Epoxy Paint / Diecast Aluminium	Toughened Glass Clear	ETL Spain	510x410x145	4.50	LSON400T	



5.

<b>Metal Halide Floodlight 250-400W Diecast Aluminium - IP65 240v 50Hz - Pic 5.</b>		<b>IP Rating</b>	<b>Body</b>	<b>Front Cover Diffuser</b>	<b>Control Gear Type</b>	<b>Dimensions LxWxD (mm)</b>	<b>Lamp Price</b>	<b>Lamp</b>	<b>Fitting Each</b>
<b>SFLMBI250</b>	250W MBI (GES) Floodlight c/w Ignitor	65	Black Epoxy Paint / Diecast Aluminium	Toughened Glass Clear	ETL Spain	510x410x145	10.50	LMBI250TP	
<b>SFLMBI400</b>	400W MBI (GES) Floodlight c/w Ignitor	65	Black Epoxy Paint / Diecast Aluminium	Toughened Glass Clear	ETL Spain	510x410x145	12.00	LMBI400TP	



6.

<b>Slim Metal Halide 70-150W Polycarbonate - IP65 240v 60Hz - Pic 6.</b>		<b>IP Rating</b>	<b>Body</b>	<b>Front Cover Diffuser</b>	<b>Control Gear Type</b>	<b>Dimensions LxWxD (mm)</b>	<b>Lamp Price</b>	<b>Lamp</b>	<b>Fitting Each</b>
<b>FLHQI70M</b>	70W Metal Halide Floodlight Polycarbonate Fitting c/w Ignitor	65	Polycarbonate UV Stabilised	Toughened Glass Clear	European	360x285x160	3.95	LMBI70DE	
<b>FLHQI150M</b>	150W Metal Halide Floodlight Polycarbonate Fitting c/w Ignitor	65	Polycarbonate UV Stabilised	Toughened Glass Clear	European	360x285x160	3.95	LMBI150DE	



7.

<b>Wall Pack 70W SON - 80W MBF (Through Knockout) Polycarbonate - IP65 240v 50Hz - Pic 7.</b>		<b>IP Rating</b>	<b>Body</b>	<b>Front Cover Diffuser</b>	<b>Control Gear Type</b>	<b>Dimensions LxWxD (mm)</b>	<b>Lamp Price</b>	<b>Lamp</b>	<b>Each</b>
<b>SWPSON70</b>	70W SON Wall Pack Fitting c/w Ignitor	65	Matt Black Polycarbonate Base	Clear Polycarbonate Diffuser	ETL Spain	270x270x200	2.75	LSON70T	
<b>SWPSON70PC</b>	70W SON Wall Pack Fitting c/w Ignitor & Photocell	65	Matt Black Polycarbonate Base	Clear Polycarbonate Diffuser	ETL Spain	270x270x200	2.75	LSON70T	
<b>SWPMBF80</b>	80W MBFU Wall Pack Fitting	65	Matt Black Polycarbonate Base	Clear Polycarbonate Diffuser	ETL Spain	270x270x200	1.75	LMBFU80ES	

\*Fittings do not include lamp.


44-48 Freshwater Road, Dagenham, Essex RM8 1RX (England)  
**Telephone. 020 8503 8500 Facsimile. 020 8503 8900**  
[www.ced-elec.co.uk](http://www.ced-elec.co.uk) - [info@ced-elec.co.uk](mailto:info@ced-elec.co.uk)






8.

Industrial Floodlight 250-400W SON & Metal Halide Polycarbonate - IP65 240v 50Hz - Pic 8.		IP Rating	Body	Front Cover Diffuser	Control Gear Type	Dimensions WxHxD (mm)	Lamp Price	Lamp	Fitting Each
<b>PFLSON250PC</b>	250W SON Floodlight Fitting Polycarbonate c/w Ignitor	65	Polycarbonate Body	Toughened Glass Clear	EDA European	410X440X150	4.25	LSON250T	
<b>PFLSON400PC</b>	400W SON Floodlight Fitting Polycarbonate c/w Ignitor	65	Polycarbonate Body	Toughened Glass Clear	EDA European	410X440X150	4.50	LSON400T	
<b>PFLMBI250PC</b>	250W Metal Halide Floodlight Fitting Polycarbonate c/w Ignitor	65	Polycarbonate Body	Toughened Glass Clear	EDA European	410X440X150	10.50	LMBI250TP	
<b>PFLMBI400PC</b>	400W Metal Halide Floodlight Fitting Polycarbonate c/w Ignitor	65	Polycarbonate Body	Toughened Glass Clear	EDA European	410X440X150	12.00	LMBI400TP	



9.

DISPLAY LIGHTING Surface Mounting 70-150W Metal Halide (White) IP20 240v 50Hz - Pic 9.		IP Rating	Body	Front Cover Diffuser	Control Gear Type	Dimensions LxWxD (mm)	Lamp Price	Lamp	Fitting Each
<b>USFMH70W</b>	70W HQI (Ts) Surface Mounting Fitting with Bracket for indoor use	20	Epoxy Powder White Sheet Metal	Toughened Glass Clear	ETL Spain	240x200x200	3.95	LMBI70DE	
<b>USFMH150W</b>	150W HQI (Ts) Surface Mounting Fitting with Bracket for indoor use	20	Epoxy Powder White Sheet Metal	Toughened Glass Clear	ETL Spain	240x200x200	3.95	LMBI150DE	



10.

Recessed Fitting 70-150W Metal Halide (White) IP20 240v 50Hz - Pic 10/11.		Cut Hole	IP Rating	Body	Front Cover Diffuser	Control Gear Type	Dimensions LxWxD (mm)	Lamp Approval	Lamp	Fitting Each
<b>NSZMH70W</b>	70W Metal halide Recessed Rectangular Fitting c/w Control gear	218x125	20	Epoxy Powder White Sheet Metal	Toughened Glass Clear	IEC Gear Tray	230x145x100	3.95	LMBI70DE	
<b>NSZMH150W</b>	150W Metal halide Recessed Rectangular Fitting c/w Control gear	218x125	20	Epoxy Powder White Sheet Metal	Toughened Glass Clear	IEC Gear Tray	230x145x100	3.95	LMBI150DE	
<b>NSZMH70BODY</b>	70W Metal halide Recessed Body only	218x125	20	Epoxy Powder White Sheet Metal	Toughened Glass Cover	IEC Gear Tray	230x145x100	3.95	LMBI70DE	
<b>NSZMH150BODY</b>	150W Metal halide Recessed Body only	218x125	20	Epoxy Powder White Sheet Metal	Toughened Glass Cover	IEC Gear Tray	230x145x100	3.95	LMBI70DE	
<b>MHG70</b>	70W Metal Halide Gear Tray Only		20	Polycarbonate Black Enclosure	-	-	240x85x65	-	-	
<b>MHG150</b>	150W Metal Halide Gear Tray only		20	Polycarbonate Black Enclosure	-	-	240x85x65	-	-	

\*Fittings do not include lamp.



11.

44-48 Freshwater Road, Dagenham, Essex RM8 1RX (England)  
**Telephone. 020 8503 8500 Facsimile. 020 8503 8900**  
[www.ced-elec.co.uk](http://www.ced-elec.co.uk) - [info@ced-elec.co.uk](mailto:info@ced-elec.co.uk)

